









	Model type									
	S	S-5	M	M-5	L	L-5	LD (CPW)	LD-5 (CPW)	XL (CPW)	XL-5 (CPW)
H (mm)	631	631	631	631	631	631	631	631	631	631
B (mm)	601	601	889	889	1100	1100	1100	1100	1400	1400
T (mm)	594	494	594	494	594	494	594	494	594	494
T1 (mm)	1170	1070	1013	913	1119	1019	1119	1019	1119	1019
T2 (mm)	-	-	1013	913	1119	1019	1119	1019	993	893
T3 (mm)	-	-	-	-	-	-	-	-	986	886
Doors	1	1	2	2	2	2	2	2	3	3
Tare weight (kg)	115	100	155	135	185	165	195	170	235	215
Inside cabinet volume (m³)	0,11	0,09	0,17	0,14	0,22	0,17	0,22	0,17	0,29	0,23

CPW: Centre partition wall

* Standard base height (see page 4)

Outer dimensions

This drawing is our property! Furnish this information to other persons and reproduce or copy is not permitted without our written permission.	title: UTS pro Type 90, safety cabinet with wing door(s)		
	drawing no.: 000106411	page: 1 of 4	
Düperthal Sicherheitstechnik Frankenstrasse 3 D-63791 Karlstein	revision: 01	date: 2020-05-28	
	 DÜPERTHAL		



	Model type									
	S	S-5	M	M-5	L	L-5	LD (CPW)	LD-5 (CPW)	XL (CPW)	XL-5 (CPW)
H1 (mm)	340	340	340	340	340	340	340	340	340	340
BS (mm)	403	403	653	653	868	868	392 / 392	392 / 392	607 / 392	607 / 392
TS (mm)	418	318	418	318	418	318	418	318	418	318
M (kg)	45	40	45	40	45	40	45	40	45	40
Max. additional load (kg)	45	40	45	40	45	40	90	80	90	80
L (l)	10	8	16	12	21	16	10 / 10	7 / 7	15 / 10	11 / 7
V (l)	11,3	8,9	18,1	13,9	23,9	18,3	11 / 11	8,4 / 8,4	16,8 / 11	12,9 / 8,4
Number of storage areas	1	1	1	1	1	1	2	2	2	2

H1: Max. setting height
 BS: Width storage area
 TS: Depth storage area
 M: Load bearing capacity per storage area (uniformly distributed)
 L: Max. volume of the individual container
 V: Max. collection volume
 CPW: Centre partition wall

Inner dimensions

This drawing is our property!
 Furnish this information to other
 persons and reproduce or copy is
 not permitted without our
 written permission.

title: UTS pro
 Type 90, safety cabinet with wing door(s)

drawing no.: 000106411


page: 2 of 4

revision: 01

date: 2020-05-28

Düperthal Sicherheitstechnik
 Frankenstrasse 3
 D-63791 Karlstein

DÜPERTHAL




	Model type									
	S	S-5	M	M-5	L	L-5	LD (CPW)	LD-5 (CPW)	XL (CPW)	XL-5 (CPW)
A1 (mm)	304	304	304	304	304	304	304	304	604	604

NW: 75
AB: Exhaust air connection
ZU: Supply air
CPW: Centre partition wall


Ventilation connection

This drawing is our property! Furnish this information to other persons and reproduce or copy is not permitted without our written permission.	title: UTS pro Type 90, safety cabinet with wing door(s)		
	drawing no.: 000106411	page: 3 of 4	
Düperthal Sicherheitstechnik Frankenstrasse 3 D-63791 Karlstein	revision: 01	date: 2020-05-28	





External floor



Classical base



ToeKick-base



	Variable base versions		
	External Floor	Classical base	ToeKick-base
HS (mm)	3	20 to 135	60 to 135

Base versions

This drawing is our property! Furnish this information to other persons and reproduce or copy is not permitted without our written permission.	title: UTS pro Type 90, safety cabinet with wing door(s)		
	drawing no.: 000106411	page: 4 of 4	
Düperthal Sicherheitstechnik Frankenstrasse 3 D-63791 Karlstein	revision: 01	date: 2020-05-28	