









	Model type				
	S	M	L	XL	XXL
H (mm)	1375	2030	2030	2030	2030
B (mm)	595	595	895	1195	1395
T (mm)	610	610	610	610	610
T1 (mm)	-	-	965	1262	1365
T2 (mm)	1182	1182	1182	1182	1282
Doors	1	1	2	2	2
Tare weight (kg)	255	355	485	605	685
Inside cabinet volume (m³)	0,2	0,31	0,54	0,77	0,92

Outer dimensions


This drawing is our property! Furnish this information to other persons and reproduce or copy is not permitted without our written permission.	title: SUPREME Type G90, safety cabinet with wing door(s)	
	drawing no.: 000110286	page: 1 of 5
	revision: 01	date: 2021-02-10
Düperthal Sicherheitstechnik Frankenstrasse 3 D-63791 Karlstein	 	



Inside cabinet area
Model type L, XL, XXL



Inside cabinet area
Model type S, M



	Model type				
	S	M	L	XL	XXL
H1	1171	1826	1826	1826	1826
BS (mm)	430	430	730	1030	1230
TS (mm)	363	363	344	344	344
L (l)	220	220	220	220	220
LB (mm)	415	415	699	999	1199
FH1 (mm)	268	268	249	249	249
FH1 (mm) Adjustment range	25 - 295	25 - 295	25 - 295	25 - 295	25 - 295
FH2 (mm)	658	1016	1016	1016	1016
FH2 (mm) Adjustment range	300 - 658	300 - 1300	300 - 1300	300 - 1300	300 - 1300
Max. additional load (kg)	100	100	300	400	400
Number of retaining belts	2	2	3	4	4

BS: Width storage area
 TS: Depth storage area
 L: Max. total volume of the compressed gas cylinder
 (according to EN 14470-2)
 LB: Clear width
 AH: Fitting holder - adjustable
 FH: Cylinder holder - adjustable
 EK: Roll-in flap

Inner dimensions

This drawing is our property! Furnish this information to other persons and reproduce or copy is not permitted without our written permission.	title: SUPREME Type G90, safety cabinet with wing door(s)	
	drawing no.: D00110286	page: 2 of 5
	revision: 01	date: 2021-02-10
Düperthal Sicherheitstechnik Frankenstrasse 3 D-63791 Karlstein	 DÜPERTHAL	




Fig. A

Model type S, M
Fig. A = Delivery position, Fig. B + C = Installation options




Fig. B




Fig. C




Fig. A

Model type L, XL, XXL
Fig. A = Delivery position, Fig. B + C = Installation options




Fig. B





Fig. C

Examples:





	Model type				
	S	M	L	XL	XXL
AH1 (mm)	135	135	135	135	135
AH1 (mm) Adjustment range	30 - 230	30 - 230	30 - 230	30 - 230	30 - 230

Fitting holder

This drawing is our property! Furnish this information to other persons and reproduce or copy is not permitted without our written permission.	title: SUPREME Type G90, safety cabinet with wing door(s)		
	drawing no.: 000110286	page: 3 of 5	
Düperthal Sicherheitstechnik Frankenstrasse 3 D-63791 Karlstein	revision: 01	date: 2021-02-10	 DÜPERTHAL

Cabinet shown without fitting holder



	Model type				
	S	M	L	XL	XXL
BFS1 (mm)	338	338	357	357	357

SA: Flashing gas connection
BFS: Drilling area side

Flashing gas connection / Drilling area side

This drawing is our property! Furnish this information to other persons and reproduce or copy is not permitted without our written permission.	title: SUPREME Type G90, safety cabinet with wing door(s)		
	drawing no.: 000110286	page: 4 of 5	
Düperthal Sicherheitstechnik Frankenstrasse 3 D-63791 Karlstein	revision: 01	date: 2021-02-10	

